

Multiple Sklerose (MS) und Neuroborreliose Multiple sclerosis and neuroborreliosis

Levin, MC, Douglas, JN, Meyers, L. (2014) **Neurodegeneration in multiple sclerosis involves multiple pathogenic mechanisms.** Degener Neurol Neuromuscul Dis 4, 49–63.

Google Scholar

https://www.google.de/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0ahUKEwiAl6GWwvLXAhVDuBQKHUyrAqYQFggxMAA&url=https%3A%2F%2Fwww.dovepress.com%2Fneurodegeneration-in-multiple-sclerosis-involves-multiple-pathogenic-m-peer-reviewed-article-DNND&usq=AOvVaw1UI3_SrBNnfurswr6xhLqt

Virusarten, viruses

Perron H, Perin JP, Rieger F, Alliel PM (2000), Firouzi R, Rolland A, Michel M, (2003), Christensen T. (2005), Levin LI et. al. (2005), Perron H, Bernard C, Bertrand JB et al. (2009), Cossu D, Masala S, Cocco E et al. (2012), Djelilovic-Vranic J, Alajbegovic A. (2012), Tselis A (2012), Olival GS, Lima BM, Sumita LM, Serafim V, Fink MC, Nali LH et al. (2013), Mameli G, Madeddu G, Mei A et al. (2013), Angelini DF, Serafini B, Piras E et al. (2013), Garcia-Montojo M, Dominguez-Mozo M, Arias-Leal A et al. (2013), Mancuso R, Saresella M, Hernis A et al. (2013), García-Montojo M, de la Hera B, Varadé J, et al. (2014), Sutherland S (2014), Mameli G, Cossu D, Cocco E et al. (2014), Lossius A, Johansen JN, Vartdal F et al. (2014), Mechelli R, Manzari C, Policano C (2015), Campbell A (2017), Hassani A (2018)

→ Virus triggers <http://www.erlebnishaft.de/virustriggers.pdf>

→ Anderson SM, Klinken SP, Hankins WD. (1985) A murine recombinant retrovirus (MSRV) containing the src oncogene transforms erythroid precursor cells in vitro. Mol Cell Biol. 5(12), 3369-3375. <http://www.ncbi.nlm.nih.gov/pubmed/3939314>

→ MSRV http://ac.els-cdn.com/S0042682299997921/1-s2.0-S0042682299997921-main.pdf?_tid=1a58bdc4-4f9a-11e3-99d6-00000aacb361&acdnat=1384701083_7c037e9ebe7e39bd42b0ab26be8610a1

→ MSRV http://hal.inria.fr/docs/00/06/66/67/PDF/Rolland_et_al_Journal_of_Immunology_In_Press.pdf

Bakterien, bacteria

Spirochaeten im extra Kästchen unten,
spirocheta see below, extra box.

Rostasy K, Reiber H, Pohl D et al. (2003), Cossu D, Masala S, Cocco E et al. (2012), Chen J (2016), Jangi S (2016), Barazin SE (2017, 2018), Tankou SK (2018)

→ Mycobacteria http://www.kabilahsystems.de/atypical_mycobacteria.pdf
http://www.ncbi.nlm.nih.gov/pubmed?LinkName=pubmed_pubmed&from_uid=23439580

→ Chlamydien, Chlamydophila
http://www.kabilahsystems.de/chlamydia_pneumoniae.pdf

Protozoen, protozoa

Kissler H. (2001)

Apicomplexa <http://www.kabilahsystems.de/toxoplasmen.pdf>

Mikrofilarien, Nematoden, Microfilaria, nematodes

Innes JR, Shoho C (1952, 1953), Fleming JO, Cook TD (2006), Correale J, Farez M (2007), Correale J, Farez M, Razzitte G (2008, 2009), Correale J, Farez M, Razzitte G (2008), Correale J, Farez M (2009), MacDonald A (2016)

→ Eosinophilie <http://www.xerlebnishaft.de/eosinophilie.pdf>

→ Mikrofilarien <http://www.xerlebnishaft.de/mikrofilarien.pdf>

Spirochaeten, spirochaeta

Buzzard EF (1911) Spirochetes in M.S. Lancet 11, 98
Bullock WE (now Gye) (1913) MS agent in Rabbits Lancet 1185
Steiner G (1917) Spirochetes The Cause of MS. Med Klin
Simmering (1918) Spirochetes in MS by Darkfield Micro
Steiner G (1918) Guinea Pig Inoculation with MS infectious agent from Human
Steiner G (1919) MS Agent Inoculation into Monkeys
Gye F (1921) MS Agent In Rabbits Brain 14, 213
Kaberlah (1922) MS Agent In Rabbits. Deutch Med Works
Sicard (1922) MS Spirochetes in Animal Model. Rev Neurol
Stepanopoulo (1922) Spirochetes in the CSF of MS Patients
Schlossman (1923) MS Agent in Animal Model. Rev Neuro
Blacklock (1924) MS Agent in Animals. Journal of Path and Bac
Wilson (1927) The Rat as A Carrier of MS. British Med Journal
Steiner G (1927) Understanding the Pathogenesis of MS
Steiner G (1928) Spirochetes in the Human Brain of MS Patients
Rogers, Helen J. (1932) The question of silver cells as proof of the spirochetal theory of disseminated sclerosis. J. Neurol. and Psychopathol. 13, 50
Simons (1933) Spirochetes in the CSF of MS Patients
Hassin (1939) Spirochete-like formations in MS
Adams (1948) Spirochetes within the Ventricle Fluid of Monkeys Inoculated from Human MS
Steiner G (1952) Acute plaques in MS and the role of spirochetes as etiology factor
Steiner G (1954) Morphology of Spirochaeta Myelophthora (Myelin Loving). MS Journal of Neuropathology and Exp Neurol 11:4 343
Steiner G (1954) Acute plaques in M.S., their pathogenetic significance and the role of spirochetes as the etiological factor. J. Neuropath. and Exp. Neur. 11:no 4:343, 1954
Ichelson R (1957) Cultivation of Spirochetes from Spinal Fluids of MS Cases with Negative Controls. Procl. Soc. Exp. Biol Med 70:411
Gay D Dick G (1986) Is multiple sclerosis caused by an oral spirochaete? Lancet (1986 Jul 12) 2(8498):75-7
Kurtz SK (1986) Relapsing fever/Lyme disease - Multiple sclerosis. Medical Hypotheses, volume 21, issue 3, pages 335-343
Marshall V (1988) Multiple sclerosis is a chronic central nervous system infection by a spirochetal agent. Med Hypotheses (1988 Feb) 25(2):89-92
Liegner (1990, 1992) Lyme encephalomyelitis and MS
Smielewska-Badora J (2000) Lyme borreliosis and Multiple sclerosis: Any Connection? A Seroepidemic study.
Fritzsche M (2004) Chronic Lyme borreliosis at the root of Multiple sclerosis - is a cure with antibiotics attainable?
... 2005 – 2018 see the listed literature below

Quelle: <http://owndoc.com/lyme/multiple-sclerosis-is-lyme-disease-anatomy-of-a-cover-up/>

Genetisches Risiko, genetic risc

[Sawcer S](#), [Hellenthal G](#), [Pirinen M](#) et al. (2011) Genetic risk and a primary role for cell-mediated immune mechanisms in multiple sclerosis. *Nature*. 2011 Aug 10; 476(7359): 214–219. doi: [10.1038/nature10251](https://doi.org/10.1038/nature10251) PMID: PMC3182531 EMSID: UKMS36028 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3182531/>

[Hänninen A](#) (2017) Infections in MS: An innate immunity perspective. *Acta Neurol Scand*. 136 Suppl 201, 10-14. doi: 10.1111/ane.12838. <https://www.ncbi.nlm.nih.gov/pubmed/29068495>
«Recent advances in our understanding of lymphatic drainage of CNS, its immune surveillance and effects of gut microbiota and obesity on systemic endotoxin levels and T-cell priming may open new perspectives to understanding the roles that infectious agents and microbes may have in MS. «

**Risiken bei der Therapie mit Immunsuppressiva,
Risks in therapy with immunosuppressants**

Havla J, Warnke C, Derfuss T et al (2016) **ÜBERSICHTSARBEIT. Interdisziplinäres Risiko-
management in der Therapie der multiplen Sklerose.**

<http://www.aerzteblatt.de/pdf/113/51/m879.pdf?ts=15.12.2016+13%3A42%3A47>

Marie P (1884) **Sclerose en plaque et maladies infectueuses.** Prog Med. 12, 287–289

Steiner G. (1931) **KRANKHEITSERREGER UND GEWEBSEFUND BEI MULTIPLER SKLEROSE.**
Springer. <https://link.springer.com/content/pdf/bfm%3A978-3-662-28529-9%2F1.pdf>

Steiner G (1952) **Acute plaques in MS, their pathogenetic significance and the role of
spirochetes as the etiological factor.** J. Neuropath. Exp. Neur. 11(4), 343-372

[INNES JR, SHOHO C](#) (1952) **Nematodes, nervous disease, and neurotropic virus infection;
observations in animal pathology of probable significance in medical neurology.** *Br Med J.*
2(4780), 366-8. PMID: [14944823](#) PMCID: [PMC2021051](#)
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2021051/>

[INNES JR, SHOHO C](#) (1953) **Cerebrospinal nematodiasis: focal encephalomyelomalacia of
animals caused by nematodes (*Setaria digitata*); a disease which may occur in man.** *AMA Arch
Neurol Psychiatry.* 70(3), 325-49. PMID: [13079357](#) <http://www.ncbi.nlm.nih.gov/pubmed/13079357>

Steiner G (1954) Morphology of **Spirocheta Myelophtora** in MS. J. Neuropath. Exp. Neur. 13, 221-29

Ichelson R. (1957) **Cultivation of Spirochetes from Spinal Fluids of MS Cases with Negative
Controls.** Procl. Soc. Exp. Biol Med 70, 411

Simons von HCR (1958) Is **Multiple sclerosis a spirochaetosis?** Dt. Med. Wschr. 83, 1196-1200

Martin A, Younge EL, Kost PF (1959) The occurrence of **Spirocheta Myelophtora** in cerebrospinal
fluid. Proc. Penn. Acad. Sci. 33, 55-93

Ustimenko T (1965) L-Forms of **Treponema pertenuae**. Vestn.Akad. Med. Nauk.SSSR,20, 46-50

Kurtzke JF, Hyllested K (1979) **Multiple sclerosis in the Faroe Islands: I. Clinical and
epidemiological features.** Annals of neurology. 5(1), 6–21, [doi:10.1002/ana.410050104](https://doi.org/10.1002/ana.410050104). PMID
[371519](#). <http://www.ncbi.nlm.nih.gov/pubmed/371519>

**« We conclude that there was an epidemic of MS on the Faroes and that the disease was probably
introduced by the British troops (or their baggage). If so, then MS on the Faroes is a transmissible
disease, most likely infectious; but only about 1 in 500 of the exposed individuals were clinically
affected. »**

Gay D, Dick G (1986) Is **multiple sclerosis** caused by an **oral spirochaete?** Lancet (1986 Jul 12)
2(8498), 75-7 <http://www.ncbi.nlm.nih.gov/pubmed/2873382>

Gay D, Dick G (1986) **Spirochetes, Lyme disease and multiple sclerosis.** Lancet. 685

Ibrahim MZM (1986) **On the etiology of MS**, new observations? Abst Anat. Rec. 214A, 58

Kurtz SK (1986) **Relapsing fever/Lyme disease – Multiple sclerosis.** Medical Hypotheses, volume
21, issue 3, pages 335-343
http://www.unboundmedicine.com/medline/citation/3642202/Relapsing_fever/Lyme_disease_Multiple_sclerosis_

Dick G., Gay D (1988) Multiple sclerosis – **autoimmune or microbial?** A critical review with additional
observations. J. Infect. 16, 25-35

Marshall V (1988) Multiple sclerosis is a chronic central nervous system infection by a **spirochetal agent**. Med Hypotheses (1988 Feb) 25(2), 89-92 <http://www.ncbi.nlm.nih.gov/pubmed/3357458>

Stechenberger BW (1988) Lyme disease: the latest **great imitator**. Pediatr Infect Dis J 7, 402

Pachner AR (1989) Neurologic manifestations of Lyme disease, the new "**great imitator**". Rev Infect Dis S1482-6. [Abstract](#)

Ellison GW (1989) Multiple Sclerosis: why? Biomed & Pharmacother 43, 327-333.

Halperin JJ, Luft BJ, Anand AK, et al. (1989) **Lyme neuroborreliosis**: central nervous system manifestations. Neurology 39(6), 753-9. [Abstract](#)

Liegner KB. (1990) Evidence for a borrelial etiology and pathogenesis in a series of patients carrying a diagnosis of multiple sclerosis. (abstract). International Northwestern Conference on Diseases in Nature Communicable to Man. Hamilton, MT.

Heller J, Holzer G, Schimrigk K (1990) Immunological differentiation between **neuroborreliosis and multiple sclerosis**. J Neurol 237(8), 465-70. [Abstract](#)

Heller J, Holzer G, Schimrigk K (1990) ELISA for specifying oligoclonal bands of isoelectric focusing of cerebrospinal fluid in patients with **neuroborreliosis and multiple sclerosis**. Nervenarzt 61(4), 248-9. [Full Citation](#)

Halperin JJ, Kaplan GP, Brazinsky S et al. (1990) Immunological reactivity against B. burgdorferi in patients with motor neuron disease. Arch Neurol. 47, 568-594 <http://www.ncbi.nlm.nih.gov/pubmed/2334308>

Halperin JJ, Volkman DJ, Wu P (1991) Central nervous system abnormalities in **Lyme neuroborreliosis**. Neurology 41(10), 1571-82. [Abstract](#)

Felgenhauer K, Reiber HO (1991) **Die MS-charakteristischen Liquorveränderungen als diagnostische Hilfe bei der enzephalitischen Form der multiplen Sklerose**. [Multiple Sklerose Neuroonkologie Konstitutionelle Dyslexie](#) Volume 6 of the series [Verhandlungen der Deutschen Gesellschaft für Neurologie](#) pp 155-156

Murray R, Morawetz R, Kepes J, et al. (1992) **Lyme neuroborreliosis** manifesting as an intracranial mass lesion. Neurosurgery 30(5), 769-73. [Abstract](#)

Liegner KB (1992) Evidence for borrelial etiology and pathogenesis in a series of patients carrying a diagnosis of multiple sclerosis [abstract]. 45th International Northwestern Conference on Diseases in Nature Communicable to Man. Vancouver, British Columbia.

Liegner KB (1992) Difficulty of distinction between borrelial (Lyme) encephalomyelitis and multiple sclerosis [abstract]. 45th International Northwestern Conference on Diseases in Nature Communicable to Man. Vancouver, British Columbia.

Kurtzke JF et al. (1993) **Multiple sclerosis in the Faroe Islands. 5. The occurrence of the fourth epidemic as validation of transmission**. Acta neurologica Scandinavica. 88(3), 161–173, [PMID 8256551](#). <http://www.ncbi.nlm.nih.gov/pubmed/8256551>

«The existence of epidemic IV within the F4 cohort of Faroese may be taken as validation of our transmission models and of our theses as to the nature of multiple sclerosis. «

Kurtzke JF (1993) **Epidemiologic evidence for multiple sclerosis as an infection**. Clin Microbiol Rev. 6, 382–427. [\[PMC free article\]](#) [\[PubMed\]](#)

Coyle PK, Krupp LB et al. (1993) **Significance of reactive Lyme serology in multiple sclerosis**. Ann. Neurol. 34 (5), 745-747.

Haegert DG Marrosu MG (1994) **Genetic susceptibility** to multiple sclerosis. Ann Neurol., Suppl 2, 36, 204-210

Lana-Peixoto MA (1994) **Multiple sclerosis and positive Lyme serology**. Arq Neuropsiquiatr 52(4), 566-71. [Abstract](#)

Poser CM (1994) The epidemiology of multiple sclerosis: a general overview. Ann Neurol. 36, 180–189. [PubMed](#)

Puccioni-Sohler M, Kitze B, Felgenhauer K, Graef IT, Lange P, Novis S et al. (1995) **The value of CSF analysis for the differential diagnosis of HTLV-1 associated myelopathy and multiple sclerosis**. Arq Neuropsychiatr. 53(4), 760-5. doi:10.1590/S0004-282X1995000500008

Gale CR, Martyn CN (1995) **Migrant studies in multiple sclerosis. Progress in neurobiology**. 47(4–5), 425–448, [PMID 8966212](#). (Übersichtsarbeit). <http://www.ncbi.nlm.nih.gov/pubmed/8966212>
« **Migrant studies add little to our understanding of the genetics of multiple sclerosis but they emphasise the importance of environmental factors. We discuss several possible interpretations of the patterns seen in migrant studies, including the hypothesis that multiple sclerosis is a sequel to delayed exposure to a common infectious agent. One candidate for such an infectious agent is Epstein-Barr virus.**»

Curless RG, Schatz NJ, Bowen BC, et al. (1996) **Lyme neuroborreliosis masquerading as a brainstem tumor in a 15-year-old**. Pediatr Neurol 15(3), 258-60. [Abstract](#)

Reiber H, Ungefehr St, Jacobi Chr. (1998) **The intrathecal, polyspecific and oligoclonal immune response in multiple sclerosis**. Mult Scler. 4(3), 111-7. doi:10.1177/135245859800400304

[Chmielewska-Badora J](#), [Cisak E](#), [Dutkiewicz J](#). (2000) **Lyme borreliosis and Multiple sclerosis: Any Connection? A Seroepidemic study**. Ann Agric Environ Med. issue 7, 141-143
<http://www.ncbi.nlm.nih.gov/pubmed/11153045>

[Perron H](#), [Perin JP](#), [Rieger F](#), [Alliel PM](#) (2000) **Particle-associated retroviral RNA and tandem RGH/HERV-W copies on human chromosome 7q: possible components of a 'chain-reaction' triggered by infectious agents in multiple sclerosis?** J Neurovirol. 6 Suppl 2, S67-75.

[Christensen T](#), [Sørensen PD](#), [Hansen HJ](#), [Møller-Larsen A](#). (2001) **Endogenous retroviruses in multiple sclerosis**. Ugeskr Laeger. 163(3), 297-301.

[Brorson O](#), [Brorson SH](#), [Henriksen TH](#), [Skogen PR](#), [Schøyen R](#). (2001) **Association between Multiple sclerosis and Cystic Structures in Cerebrospinal Fluid**. Infection 29(6), 315-319
<http://www.ncbi.nlm.nih.gov/pubmed/11787831>

Kissler H. (2001) **Is Multiple Sclerosis caused by a silent infection with malarial parasites?** Med Hypotheses 57, 292-301

Schmutzhard E (2002) **Multiple sclerosis and Lyme borreliosis**. Wien Klin Wochenschr 114 (13-14), 539-43. [Abstract](#)
<http://emerge.org.au/wp-content/uploads/2015/11/Schmutzhard-E.-Multiple-sclerosis-and-Lyme-borreliosis.-Wien.-Klin.-Wochenschr.-2002-11413-14-539-543.pdf>

Neidigh JW, Fesinmeyer RM, Andersen NH (2002) **Designing a 20-residue protein**. Nat. Struct. Biol. 9, 425–430. [CrossRef](#) [PubMed](#)

[Markus Fritsch](#) (2002) **Geographical and seasonal correlation of multiple sclerosis to sporadic schizophrenia**. Int J Health Geogr. 1, 5. doi: 10.1186/1476-072X-1-5 PMID: PMC149400
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC149400/>

Hawkes CH (2002) **Is multiple sclerosis a sexually transmitted infection?** J Neurol Neurosurg Psychiatry. 73, 439–443. [PMC free article](#) [PubMed](#)

[Firouzi R](#), [Rolland A](#), [Michel M](#), (2003) Multiple sclerosis-associated **retrovirus particles** cause T lymphocyte-dependent death with brain hemorrhage in humanized SCID mice model. [J Neurovirol](#). 9(1), 79-93 <http://www.ncbi.nlm.nih.gov/pubmed/12587071>

Rostasy K, Reiber H, Pohl D et al. (2003) **Chlamydia pneumoniae in children with MS: Frequency and quantity of intrathecal antibodies.** Neurology 61, 125-128
<http://www.ncbi.nlm.nih.gov/pubmed/12847174>

Metz LM, Zhang Y, Yeung M et al. (2004) **Minocycline Reduces Gadolinium-Enhancing Magnetic Resonance Imaging Lesions in Multiple Sclerosis.** American Neurological Association. Published by Wiley-Liss, Inc., through Wiley Subscription Services.
<http://owndoc.com/pdf/MS-lesions-minocycline.pdf>

Fritzsche M (2005) **Chronic Lyme borreliosis at the root of multiple sclerosis--is a cure with antibiotics attainable?** Med Hypotheses. 64(3), 438-48
<http://www.ncbi.nlm.nih.gov/pubmed/15617845>
http://www.lymepa.org/Chronic_Lyme_borreliosis_at_the_root_of_Multiple_Sclerosis_and_a_possible_cure_with_antibiotics.pdf

Bednárová J, Stourac P, Adam P (2005) **Relevance of immunological variables in neuroborreliosis and multiple sclerosis.** Acta Neurol Scand 112(2), 97-102. [Abstract](#)

[Christensen T.](#) (2005) Association of **human endogenous retroviruses** with multiple sclerosis and possible interactions with herpes viruses. Rev Med Virol. 15(3), 179-211.

Levin LI et. al. (2005) **Temporal Relationship Between Elevation of Epstein-Barr Virus Titers and Initial Onset of Neurologic Symptoms in Multiple Sclerosis.** JAMA 293, 2496-2500.

Fleming JO, Cook TD (2006) **Multiple sclerosis and the hygiene hypothesis.** Neurology. 67, 2085–2086. [Crossref PubMed](#) | [Scopus \(86\)](#)

Drozdowski W (2006) **Multifocal central nervous system lesions -- multiple sclerosis or neuroborreliosis?.** Przegl Epidemiol 39-45. [Abstract](#)

Adam P, Sobeka O, Scott CS (2007) **Analysis of cerebrospinal fluid cell populations with monoclonal antibodies.** Folia Microbiol (Praha) 52(5), 529-34. [Abstract](#)

Fadil H, Kelley RE, Gonzalez-Toledo E (2007) **Differential diagnosis of multiple sclerosis.** Int Rev Neurobiol 393-422. [Abstract](#)

Perczel A, Hudáky P, Pálfi, VK (2007) **Dead-end street of protein folding: Thermodynamic rationale of amyloid fibril formation.** J. Am. Chem. Soc. 129, 14959–14965. [[CrossRef](#)] [[PubMed](#)]

Batinac T, Petranovic D, Zamolo G, et al. (2007) **Lyme borreliosis and multiple sclerosis are associated with primary effusion lymphoma.** Med Hypotheses 69(1), 117-9. [Abstract](#)

Correale J, Farez M (2007) **Association between parasite infection and immune responses in multiple sclerosis.** Ann Neurol. 61, 97–108. [Crossref](#) | [PubMed](#) | [Scopus \(235\)](#)

Correale J, Farez M, Razzitte G (2008) **Helminth infections associated with multiple sclerosis induce regulatory B cells.** Ann Neurol. 64, 187–199.

[Miller DH](#), [Weinshenker BG](#), [Filippi M](#), [Banwell BL](#), [Cohen JA](#), [Freedman MS](#), [Galetta SL](#), [Hutchinson M](#), [Johnson RT](#), [Kappos L](#), [Kira J](#), [Lublin FD](#), [McFarland HF](#), [Montalban X](#), [Panitch H](#), [Richert JR](#), [Reingold SC](#), [Polman CH](#) (2008) **Differential diagnosis of suspected multiple sclerosis: a consensus approach.** Mult Scler. 14(9), 1157–1174 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2850590/>

[Somers V](#), [Govarts C](#), [Somers K](#) et al. (2008) **Autoantibody Profiling in Multiple Sclerosis Reveals Novel Antigenic Candidates.** The Journal of Immunology. 180, 3957-3963
<http://www.jimmunol.org/content/180/6/3957.full.html>

Correale J, Farez M (2009) **Helminth antigens modulate immune responses in cells from multiple sclerosis patients through TLR2-dependent mechanisms.** J Immunol. 83, 5999–6012. [Crossref](#) | [PubMed](#) | [Scopus \(66\)](#)

Berghoff W (2009) **Differentialdiagnose Multiple Sklerose (MS) / Lyme-Neuroborreliose (LNB)**
http://www.praxis-berghoff.de/dokumente/Differentialdiagnose_MS_LNB.pdf

Reiber H, Teut M, Pohl D, Rostasy KM, Hanefeld F. (2009) **Paediatric and adult multiple sclerosis: age related differences and time course of the neuroimmunological response in cerebrospinal fluid.** Multiple Scler. 15(12), 1466-80. doi:10.1177/1352458509348418

Liegner KB (2009) **Lyme Neuroborreliosis(LNB) vs. multiple sclerosis(MS): problematic differentiation** ILADS BREAK-OUT SESSION GAYLORD NATIONAL CONVENTION CENTER NATIONAL HARBOR, MARYLAND October 24-25, 2009
https://groups.yahoo.com/neo/groups/ILADS/attachments/855121410;_ylc=X3oDMTJxNHlzN3BzBF9TAsk3MzU5NzE0BGdycElkAzl5MjM5NzkEZ3Jwc3BJZAMxNzA1MDgzMDk4BHNiYwNhdHRhY2htZW50BHNSawN2aWV3T25XZWIEc3RpbWUDMTQ2OTM1NzU3OA--

Radulescu A, Tatulescu D, Perju-Dombrava L et al. (2009) **Controversies in late Neuroborreliosis and Multiple sclerosis – case series.** Therapeutics, Pharmacology and Clinical Toxicology. XIII(1), 57-62
<http://pdf5.net/c/controversies-in-late-neuroborreliosis-and-multiple-sclerosis-case-w6497-pdf.pdf>
https://www.google.de/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0ahUKEwjUxaihvpzVAhXLVxQKHXPoAm0QFggtMAA&url=http%3A%2F%2Fwww.mms-seminar.com%2Fwp-content%2Fuploads%2F2015%2F08%2F2009-romanian-study-ms-is-lyme.pdf&usq=AFQjCNGW4fKsiu5UZiwtGHQLDPiA_ozQUQ

« **The diagnosis of MS and NB are difficult because of remarkably similar clinical and neuroimaging features. The infectious etiology of MS remains probable and in patients diagnosed with possible MS it is reasonable to evaluate B. burgdorferi infection in order to ensure etiologic treatment.** »

[Perron H](#), [Bernard C](#), [Bertrand JB](#) et al. (2009) **Endogenous retroviral genes, Herpesviruses and gender** in Multiple Sclerosis. [J Neurol Sci](#). 286(1-2), 65-72.

Blanc F, Ballonzoli L, Marcel C et al. (2010) **Lyme optic neuritis.** [J Neurol Sci](#) 295(1-2), 117-9
[Abstract](#)

Carulla N, Zhou M, Giralt E et al. (2010) **Structure and intermolecular dynamics of aggregates populated during amyloid fibril formation studied by hydrogen/deuterium exchange.** [Acc. Chem. Res.](#) 43, 1072–1079. [[CrossRef](#)] [[PubMed](#)]

[Lauer K](#) (2010) **Environmental risk factors in multiple sclerosis.** [Expert Rev Neurother.](#) 10(3), 421-40. doi: 10.1586/ern.10.7. <http://www.ncbi.nlm.nih.gov/pubmed/20187864>

Mattsson N, Bremell D, Anckarsäter R, et al. (2010) **Neuroinflammation in Lyme neuroborreliosis affects amyloid metabolism.** [BMC Neurol](#) 51. [Abstract](#)

[Brinar VV](#), [Habek M](#). (2010) **Rare infections mimicking MS.** [Clin Neurol Neurosurg.](#) 112(7), 625-8. doi: 10.1016/j.clineuro.2010.04.011. Epub 2010 May 2. <http://www.ncbi.nlm.nih.gov/pubmed/20439131>

Nørgaard M, Nielsen RB, Jacobsen JB, Gradus JL, Stenager E, Koch-Henriksen N, Lash TL, Sørensen HAT (2011) **Use of penicillin and other antibiotics and risk of multiple sclerosis: a population-based case-control study.** [Am J Epidemiol.](#) 174(8), 5-8. doi: 10.1093/aje/kwr201. Epub <http://aje.oxfordjournals.org/content/174/8/945>

Spirin NN, Baranova NS, Fadeeva OA, et al. (2011) **Differential aspects of multiple sclerosis and chronic borreliac encephalomyelitis.** [Zh Nevrol Psikhiatr Im S S Korsakova](#) 111(7), 8-12. [Abstract](#)

Krumbholz M, Derfuss T, Hohlfeld R, Meinl E (2012) **B cells and antibodies in multiple sclerosis pathogenesis and therapy.** [Nat. Rev. Neurol.](#) 8, 613-623 <http://www.ncbi.nlm.nih.gov/pubmed/23045237>

[Cossu D](#), [Masala S](#), [Cocco E](#) et al. (2012) **Are Mycobacterium avium subsp. paratuberculosis and Epstein-Barr virus triggers of multiple sclerosis in Sardinia?** [Mult Scler.](#) 18(8), 1181-4. doi: 10.1177/1352458511433430. Epub 2012 Jan 19. <http://www.ncbi.nlm.nih.gov/pubmed/22261119>

[Djelilovic-Vranic J, Alajbegovic A.](#) (2012) **Role of early viral infections in development of multiple sclerosis.** *Med Arh.* 66(3 Suppl 1), 37-40.

[Comabella M, Khoury SJ](#) (2012) **[Immunopathogenesis of multiple sclerosis.](#)** Clinical immunology (Orlando, Fla.)

[Tselis A](#) (2012) **Epstein-Barr virus cause of multiple sclerosis.** *Curr Opin Rheumatol.* 24(4), 424-8. doi: 10.1097/BOR.0b013e3283542cf8. <https://www.ncbi.nlm.nih.gov/pubmed/22617821>

Olival GS, Lima BM, Sumita LM, Serafim V, Fink MC, Nali LH et al. (2013) **Multiple sclerosis and herpes virus interaction.** *Arq Neuropsiquiatr.* 71(9B), 727-30. doi:10.1590/0004-282X20130160

[Zajicek J](#) (2013) **[Multiple sclerosis.](#)** Handbook of clinical neurology 2013

Rocha AJ, Littig IA, Nunes RH, Tilbery CP. (2013) **Central nervous system infectious diseases mimicking multiple sclerosis, recognizing distinguishable features using MRI.** *Arq Neuropsiquiatr.* 71(9B), 738-46. doi:10.1590/0004-282X20130162 <https://www.ncbi.nlm.nih.gov/pubmed/24141516> <http://www.scielo.br/pdf/anp/v71n9B/0004-282X-anp-71-09b-738.pdf>

[Mameli G, Madeddu G, Mei A](#) et al. (2013) **Activation of MSRV-Type Endogenous Retroviruses during Infectious Mononucleosis and Epstein-Barr Virus Latency: The Missing Link with Multiple Sclerosis?** *PLoS One.* 8(11), e78474. doi: 10.1371/journal.pone.0078474. <http://www.ncbi.nlm.nih.gov/pubmed/24236019>

“Thus, the data indicate that the two main links between EBV and MS (IM and high anti-EBNA-1-IgG titers) are paralleled by activation of the potentially neuropathogenic HERV-W/MSRV. These novel findings suggest HERV-W/MSRV activation as the missing link between EBV and MS, and may open new avenues of intervention.”

[Angelini DF, Serafini B, Piras E, Severa M, Coccia EM, Rosicarelli B, Ruggieri S, Gasperini C, Buttari F, Centonze D, Mechelli R, Salvetti M, Borsellino G, Aloisi F, Battistini L](#) (2013) Increased CD8+ T cell response to **Epstein-Barr virus lytic antigens** in the active phase of multiple sclerosis. *PLoS Pathog.* 9(4), e1003220. doi: 10.1371/journal.ppat.1003220. <http://www.ncbi.nlm.nih.gov/pubmed/23592979>

[Garcia-Montojo M, Dominguez-Mozo M, Arias-Leal A](#) et al. (2013) **The DNA copy number of human endogenous retrovirus-W (MSRV-type) is increased in multiple sclerosis patients and is influenced by gender and disease severity.** *PLoS One.* 8(1), e53623. doi: 10.1371/journal.pone.0053623. <http://www.ncbi.nlm.nih.gov/pubmed/23308264>

“MSRV increases its copy number in PBMC of MS patients and particularly in women with high clinical scores. This may explain causes underlying the higher prevalence of MS in women. The association with the clinical severity calls for further investigations on MSRV load in PBMCs as a biomarker for MS.”

[Mancuso R, Saresella M, Hernis A, Agostini S, Piancone F, Caputo D, Maggi F, Clerici M.](#) (2013) **Torque teno virus (TTV) in multiple sclerosis patients with different patterns of disease.** *J Med Virol.* 85(12), 2176-83. doi: 10.1002/jmv.23707. Epub 2013 Aug 19.

Ascherio A (2013) **Environmental factors in multiple sclerosis: Expert review of neurotherapeutics.** 13(12) Suppl, 3–9, doi:10.1586/14737175.2013.865866, PMID 24289836. (Review). <http://www.tandfonline.com/doi/abs/10.1586/14737175.2013.865866#.V5RpYY9OKM8>

[García-Montojo M, de la Hera B, Varadé J,](#) et al. (2014) **HERV-W polymorphism in chromosome X is associated with multiple sclerosis risk and with differential expression of MSRV.** *Retrovirology.* 11(1), 2. <http://www.ncbi.nlm.nih.gov/pubmed/24405691>

Sutherland S (2014) **Remyelination: Are Exosomes Containing microRNA the Answer? Naturally produced exosomes with miRNA led to increased myelination in vitro and in vivo.** *New Findings |* 13 Feb 2014 http://www.msdiscovery.org/news/new_findings/9751-remyelination-are-exosomes-containing-microrna-answer

[Mameli G, Cossu D, Cocco E](#) et al. (2014) **Epstein-Barr virus and Mycobacterium avium subsp. paratuberculosis peptides are cross recognized by anti-myelin basic protein antibodies in multiple**

sclerosis patients. J Neuroimmunol. pii: S0165-5728(14)00063-0. doi: 10.1016/j.jneuroim.2014.02.013. <http://www.ncbi.nlm.nih.gov/pubmed/24642384>

Shimizu F, Tasaki A, Sano Y, Ju M, Nishihara H, Oishi M, Koga M, Kawai M, Kanda T (2014) **Sera from remitting and secondary progressive multiple sclerosis patients disrupt the blood-brain barrier.** PLoS One. 9(3), e92872. Epub 2014 Mar 31. PMID: 24686948. [Abstract](#)

Berghoff W (2014) **Differentialdiagnose Multiple Sklerose (MS) / Lyme-Neuroborreliose (LNB).** http://www.praxis-berghoff.de/dokumente/berghoff150714/Kapitel_14_Differentialdiagnose_MS_LNB.pdf

[Beltrán E](#), [Obermeier B](#), [Moser M](#) et al. (2014) **Intrathecal somatic hypermutation of IgM in multiple sclerosis and neuroinflammation.** Brain : a journal of neurology 07/2014; DOI: 10.1093/brain/awu205 Source: [PubMed](#) <http://www.ncbi.nlm.nih.gov/pubmed/25060097>
„Our data suggest that the intrathecal milieu sustains a **germinal centre**-like reaction with clonal expansion and extensive accumulation of somatic hypermutation in IgM-producing B cells.
Unsere Daten deuten darauf hin, dass das intrathekale Milieu eine **Keimzentrums-ähnliche** Reaktion enthält mit klonaler Expansion und umfangreicher Hypermutation in IgM-produzierenden B-Zellen“.

[Lossius A](#), [Johansen JN](#), [Vartdal F](#), [Robins H](#), [Benth JS](#), [Holmøy T](#), [Olweus J](#). (2014) **High-throughput sequencing of TCR repertoires in multiple sclerosis reveals intrathecal enrichment of EBV-reactive CD8+ T cells.** Eur J Immunol. doi: 10.1002/eji.201444662. <http://www.ncbi.nlm.nih.gov/pubmed/25103993>

Villar LM, Picón C, Costa-Frossard L et al. (2014) **Cerebrospinal fluid immunological biomarkers associated with axonal damage in multiple sclerosis.** DOI: 10.1111/ene.12579
European Journal of Neurology <http://onlinelibrary.wiley.com/doi/10.1111/ene.12579/abstract>

Multiple Sclerosis and Lyme Pathology Research Fund (2014) <http://www.lyme-ms-pathology.com/>

De Bock L, Somers K, Fraussen J et al. (2014) **Sperm-Associated Antigen 16 Is a Novel Target of the Humoral Autoimmune Response in Multiple Sclerosis.** The Journal of Immunology 193, 2147-2156
http://www.researchgate.net/publication/264430600_Sperm-Associated_Antigen_16_Is_a_Novel_Target_of_the_Humoral_Autoimmune_Response_in_Multiple_Sclerosis

[Le Houézec D](#) (2014) **Evolution of multiple sclerosis in France since the beginning of hepatitis B vaccination.** Immunol Res. 60(2-3), 219-25. doi: 10.1007/s12026-014-8574-4.
<http://www.ncbi.nlm.nih.gov/pubmed/25395338> <http://link.springer.com/article/10.1007%2Fs12026-014-8574-4#page-1>
<http://healthimpactnews.com/2014/new-study-hepatitis-b-vaccination-in-france-sparked-a-wave-of-new-cases-of-ms/>
« **The application of the Hill's criteria to these data indicates that the correlation between hepatitis B vaccine and multiple sclerosis may be causal.** »

[Mechelli R](#), [Manzari C](#), [Policano C](#) (2015) **Epstein-Barr virus genetic variants are associated with multiple sclerosis.** Neurology. pii: 10.1212/WNL.0000000000001420. [Epub ahead of print] <http://www.ncbi.nlm.nih.gov/pubmed/25740864>
« **Our study unveils a strong association between Epstein-Barr virus genomic variants and MS, reinforcing the idea that Epstein-Barr virus contributes to disease development.** »

[Márquez AC](#), [Horwitz MS](#) (2015) **The Role of Latently Infected B Cells in CNS Autoimmunity.** Front Immunol. 6, 544. doi: 10.3389/fimmu.2015.00544. eCollection 2015. <http://www.ncbi.nlm.nih.gov/pubmed/26579121>

Álvarez-Cermeño JC, Villar LM (2015) **Genetic variability affects CNS IgG production in MS.** nature reviews | Neurology. doi:10.1038/nrneuro.2015.55 Published online XX Month 2015
http://www.researchgate.net/publication/274966753_Multiple_sclerosis_Genetic_variability_affects_CNS_IgG_production_in_MS

[Rodríguez-Martín E](#), [Picón C](#), [Costa-Frossard L](#), [Alenda R](#) et al (2015) **Natural killer cell subsets in cerebrospinal fluid of patients with multiple sclerosis.** Clin Exp Immunol. 180(2), 243-9. doi: 10.1111/cei.12580. <http://www.ncbi.nlm.nih.gov/pubmed/25565222>

[Ziemssen T](#), [Dorfuss T](#), [de Stefano N](#) et al. (2015) **Optimizing treatment success in multiple sclerosis.** J Neurol. [Epub ahead of print] <http://www.ncbi.nlm.nih.gov/pubmed/26705122>

Multiple Sclerosis Risk (2015) **Environmental risk factors and medical conditions associated with Multiple Sclerosis** <http://www.polygenicpathways.co.uk/msrisk.htm>

[Wekerle H](#) (2015) **Nature plus nurture: the triggering of multiple sclerosis.** *Swiss Med Wkly.* 145, w14189. doi: 10.4414/smw.2015.14189. <http://www.ncbi.nlm.nih.gov/pubmed/26430854>

« **New experimental data indicate that the actual trigger of this attack is however provided by an interaction of brain-specific immune cells with components of the regular commensal gut flora, the intestinal microbiota. This concept opens the way for new therapeutic approaches involving modulation of the microbiota by dietary or antibiotic regimens** ».

[Reiber H](#), [Kruse-Sauter H](#), [Quentin C](#) (2015) **Antibody patterns vary arbitrarily between cerebrospinal fluid and aqueous humor of the individual multiple sclerosis patient: specificity-independent pathological B cell function.** *J Neuroimmunol.* 278, 247-54. doi:10.1016/j.jneuroim.2014.11.013

[Claes N](#), [Fraussen J](#), [Stinissen P](#) et al. (2015) **B Cells Are Multifunctional Players in Multiple Sclerosis Pathogenesis: Insights from Therapeutic Interventions.** *Front Immunol.* 6, 642. Published online doi: [10.3389/fimmu.2015.00642](https://doi.org/10.3389/fimmu.2015.00642) PMID: PMC4685142 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4685142/>

[Tremlett H](#), [Fadrosch DW](#), [Faruqi AA](#) et al. (2016) **Gut microbiota in early pediatric multiple sclerosis: a case-control study.** *Eur J Neurol.* doi: 10.1111/ene.13026. [Epub ahead of print] <http://www.ncbi.nlm.nih.gov/pubmed/27176462>
« **In recent onset pediatric MS, perturbations in the gut microbiome composition were observed, in parallel with predicted enrichment of metabolic pathways associated with neurodegeneration. Findings were suggestive of a pro-inflammatory milieu.** » -> <http://www.kabilahsystems.de/probiotika.pdf>

[MacDonald A](#) (2016) **London Lecture May 15 2016** <https://vimeo.com/166688480>
« **Multiple Sclerosis is a Neural Larval Migrants Illness. ... Spirochetes Reside INSIDE of the Worms {Endosymbiont Borrelia} ... DNA transfer between Borrelia and the worm. The endosymbiont RELEASE From The Worm when the Worm dies.**»

[MacDonald A](#) (2016) **Nematode filarial Worms in cerebrospinal fluid of a Multiple Sclerosis patient at autopsy** [version 1; not peer reviewed]. *F1000Research* 79 (poster) (doi: [10.7490/f1000research.1111264.1](https://doi.org/10.7490/f1000research.1111264.1))

[Havla J](#), [Warnke C](#), [Derfuss T](#) et al. (2016) **Interdisziplinäres Risikomanagement in der Therapie der multiplen Sklerose.** *Deutsch Arztebl Int* 113, 879-86 Doi:10.3238/arztebl.2016.0879
„**Die verbesserte Wirksamkeit der MS-Therapie geht mit erhöhten Risiken der unerwünschten Arzneimittelwirkungen (UAW), die ein interdisziplinäres Risikomanagement erfordern, einher**“

[Chen J](#) et al. (2016) **Multiple sclerosis patients have a distinct gut microbiota compared to healthy controls.** *Sci Rep* 6, 28484. https://www.researchgate.net/publication/304535968_Multiple_sclerosis_patients_have_a_distinct_gut_microbiota_compared_to_healthy_controls

[Jangi S](#) et al. (2016) **Alterations of the human gut microbiome in multiple sclerosis.** *Nat Commun* 7, 12015. https://www.researchgate.net/publication/304539080_ARTICLE_Alterations_of_the_human_gut_microbiome_in_multiple_sclerosis

[Barazin SE](#) et al. (2017) **The MS-Associated Gut Microbiome.** https://www.researchgate.net/publication/316237673_The_MS-Associated_Gut_Microbiome

[Beridze M](#), [Khizanishvili N](#), [Mdivani M](#) et al. (2017) **UNUSUAL MANIFESTATION OF NEUROBORELIOSIS (CASE REPORT).** *Georgian Med News.* (264), 72-75. <https://www.ncbi.nlm.nih.gov/pubmed/28480854>
„**MS and even Parkinsonism in suspicious cases should thoroughly be investigated for differentiation from chronic Neuroborreliosis.**“

Campbell A, Hogestyn JM, Folts ChrJ et al. (2017) **Expression of the Human Herpesvirus 6A Latency-Associated Transcript U94A Disrupts Human Oligodendrocyte Progenitor Migration.** Scientific Reports, 7 (1) DOI: [10.1038/s41598-017-04432-y](https://doi.org/10.1038/s41598-017-04432-y)

Tankou SK et al. (2018) **Investigation of probiotics in multiple sclerosis.** Mult Scler 24, 58-63. <https://www.researchgate.net/publication/322333353> Investigation of probiotics in multiple sclerosis

[Hassani A](#), [Corboy JR](#), [Al-Salam S](#), [Khan G](#) (2018) **Epstein-Barr virus is present in the brain of most cases of multiple sclerosis and may engage more than just B cells.** *PLoS One*. 13(2), e0192109. doi: 10.1371/journal.pone.0192109. eCollection 2018. <https://www.ncbi.nlm.nih.gov/pubmed/29394264>

«To the best of our knowledge, this is the most comprehensive study demonstrating that EBV is present and transcriptionally active in the brain of most cases of MS and supports a role for the virus in MS pathogenesis. «

Barazani S (2018) **Looking for a trigger in multiple sclerosis: Is it in the gut?** DOI10.13140/RG.2.2.16127.92323. Projects [Microbiome in multiple sclerosis](#) <https://www.researchgate.net/publication/323129479> Looking for a trigger in multiple sclerosis Is it in the gut

Berghoff W (2014) **Differentialdiagnose Multiple Sklerose (MS) / Lyme-Neuroborreliose (LNB)** http://www.praxis-berghoff.de/dokumente/berghoff150714/Kapitel_14_Differentialdiagnose_MS_LNB.pdf

Kolber P, Luessi F, Meuth SG et al. (2015) **Aktuelles zur Therapieumstellung bei Multipler Sklerose.** Der Nervenarzt <http://link.springer.com/article/10.1007%2Fs00115-015-4368-8>

Higleras Y, Jimenez-Martin I, Munoz L et al. (2016) **Características clínicas del deterioro cognitivo en la demencia por esclerosis múltiple: estudio transversal.** Available from: <https://www.researchgate.net/publication/298971174> Demecia en Esclerosis Multiple

- ➔ (2016) **„Qualitätshandbuch Multiple Sklerose“** Empfehlungen zur Therapie der MS für Ärzte
- ➔ Schmidt RM, Hoffmann F, Faiss JH, Köhler W, Zettl UK (2017) **Multiple Sklerose.** 7. Auflage, 544 Seiten, 83 Farbabbildungen, kartoniert.
- ➔ URTEIL DES GERICHTSHOFS (Zweite Kammer) (21. Juni 2017) „Vorlage zur Vorabentscheidung – Richtlinie 85/374/EWG – Haftung für fehlerhafte Produkte – Art. 4 – Arzneimittelhersteller – **Impfstoff gegen Hepatitis B – Multiple Sklerose** – <http://curia.europa.eu/juris/document/document.jsf?text=&docid=192054&pageIndex=0&doclang=DE&mode=req&dir=&occ=first&part=1&cid=835102/> [S.a. [Le Houézec D](#) (2014)]

[Montalban X](#), [Gold R](#), [Thompson AJ](#) et al. (2018) **ECTRIMS/EAN Guideline on the pharmacological treatment of people with multiple sclerosis.** Multiple Sclerosis Journal. <http://journals.sagepub.com/doi/full/10.1177/1352458517751049>

Liste von Multiple-Sklerose-Wirkstoffen in der Erprobung und bei V.a. Infektion
Multiple sclerosis drugs in research and for suspected infection
https://de.wikipedia.org/wiki/Liste_von_Multiple-Sklerose-Wirkstoffen_in_der_Erprobung
https://en.wikipedia.org/wiki/Multiple_sclerosis_research

Immunstimulantien, immune restauration, immune stimulation
<http://www.kabilahsystems.de/immunsti.pdf>

Isoprinosine, Delimmun®

“**Inosine**: Inosine is a compound that has shown interesting preliminary results in phases I and II clinical trials.^{[31][32]} Two different mechanisms of action have been proposed. First, it produces uric acid after ingestion,^[33] which is a natural antioxidant;^[34] second, it has been shown to induce axonal rewiring in laboratory animals with stroke,^[35] and spinal cord injury.^[36] However it can cause health problems in a long-term treatment,^[37] mainly kidney stones.^[38] It seems that its mechanism of action is peroxynitrite inactivation^[39] Other reports point to an immune modulation^[40]”

Bibliographical reference: https://en.wikipedia.org/wiki/Multiple_sclerosis_research

Plemel JR (2018) **Three new avenues to treat progressive Multiple Sclerosis: remyelination, neuroprotection, and targeting astrocytes.**

<https://www.researchgate.net/blog/post/three-new-avenues-to-treat-progressive-multiple-sclerosis-remyelination-neuroprotection-and-targeting-astrocytes>

Behandle physikalisch-medizinisch und bei vitaler Indikation zusätzlich mit Antibiotika, dann aber gezielt (möglichst kausal), hart und so frühzeitig wie möglich.

Treat physically, probiotic and in case of vital indication additionally with antibiotics, but then targeted (if possible causally), hard and as early as possible.

- ➔ [Therapie – Empfehlungen bei chronischen Multiinfektionskrankheiten](#)
[Treatment recommendations in chronic multi infectious diseases](#)
- ➔ **Therapievariante 2** http://www.kabilahsystems.de/therap_02_virus.pdf
- ➔ **Therapievariante 8** http://www.kabilahsystems.de/therap_08_protozoen_oder_hefen.pdf
- ➔ **Therapievariante 9** http://www.kabilahsystems.de/therap_09_bei_mikrofilariose.pdf

[Bernt - Dieter Huismans](#) Letzte Revision März 2018 www.Huismans.click



Back to top <http://www.erlebnishaft.de/multipleskleroseborreliose.pdf>